


AMENDMENTS TO THE CLAIMS:

Please cancel claims 2-19, and add new claims 20 - 38.

1. (Original) A compound of the formula



and salts thereof;

wherein Ar^1 and Ar^2 independently are selected from aryl and heteroaryl;

V designates $-CH_2-CH_2-$, $-CH=CH-$ or $-C\equiv C-$;

m is a whole number selected from the group consisting of 0, 1, and 2,

p is a whole number selected from the group consisting of 0, 1, and 2,

wherein the sum of m and p is at least 1;

each Y^1 is independently selected from an amino-functional substituent of the formula



each Y^2 is independently selected from an amino-functional substituent of the formula



wherein Z is a biradical $-(C(R^H)_2)_n-$, wherein n is an integer in the range of 1-6, and each

R^H is independently selected from hydrogen and C_{1-6} -alkyl, or wherein $(R^H)_2$ is $=O$;

R^1 and R^2 independently are selected from hydrogen, optionally substituted C_{1-12} -alkyl,

optionally substituted C_{2-12} -alkenyl, optionally substituted C_{4-12} -alkadienyl, optionally

substituted C_{6-12} -alkatrienyl, optionally substituted C_{2-12} -alkynyl, optionally substituted

C_{1-12} -alkoxycarbonyl, optionally substituted C_{1-12} -alkylcarbonyl, optionally substituted


aryl, optionally substituted aryloxy carbonyl, optionally substituted aryl carbonyl, optionally substituted heteroaryl, optionally substituted heteroaryloxy carbonyl, optionally substituted heteroaryl carbonyl, aminocarbonyl, mono- and di(C₁₋₆-alkyl)aminocarbonyl, amino-C₁₋₆-alkyl-aminocarbonyl, mono- and di(C₁₋₆-alkyl)amino-C₁₋₆-alkyl-aminocarbonyl; or wherein N(R¹)R²) forms an optionally substituted nitrogen-containing heterocyclic ring;

X¹ and X² independently designates a substituent present 0-5 times, on Ar¹ and Ar², respectively, wherein each X¹ and X² is independently selected from the group consisting of optionally substituted C₁₋₁₂-alkyl, optionally substituted C₂₋₁₂-alkenyl, optionally substituted C₄₋₁₂-alkadienyl, optionally substituted C₆₋₁₂-alkatrienyl, optionally substituted C₂₋₁₂-alkynyl, hydroxy, optionally substituted C₁₋₁₂-alkoxy, optionally substituted C₂₋₁₂-alkenyloxy, carboxy, optionally substituted C₁₋₁₂-alkoxycarbonyl, optionally substituted C₁₋₁₂-alkyl carbonyl, formyl, C₁₋₆-alkylsulphonylamino, optionally substituted aryl, optionally substituted aryloxy carbonyl, optionally substituted aryloxy, optionally substituted aryl carbonyl, optionally substituted arylamino, arylsulphonylamino, optionally substituted heteroaryl, optionally substituted heteroaryloxy carbonyl, optionally substituted heteroaryloxy, optionally substituted heteroaryl carbonyl, optionally substituted heteroaryl amino, optionally substituted (heteroarylalkyl)amino, optionally substituted (heteroarylalkyl)alkylamino, heteroarylsulphonylamino, optionally substituted heterocyclyloxy carbonyl, optionally substituted heterocyclyloxy, optionally substituted heterocyclyl carbonyl, optionally substituted heterocyclylamino,

heterocyclylsulphonylamino, amino, mono- and di(C₁₋₆-alkyl)amino, carbamoyl, mono- and di(C₁₋₆-alkyl)aminocarbonyl, amino-C₁₋₆-alkyl-aminocarbonyl, mono- and di(C₁₋₆-alkyl)amino-C₁₋₆-alkyl-aminocarbonyl, C₁₋₆-alkylcarbonylamino, cyano, guanidino, carbamido, C₁₋₆-alkanoyloxy, C₁₋₆-alkylsulphonyl, C₁₋₆-alkylsulphinyl, C₁₋₆-alkylsulphonyloxy, aminosulfonyl, mono- and di(C₁₋₆-alkyl)aminosulfonyl, nitro, optionally substituted C₁₋₆-alkylthio, and halogen, where any nitrogen-bound C₁₋₆-alkyl is optionally substituted with hydroxy, C₁₋₆-alkoxy, C₂₋₆-alkenyloxy, carboxy, halogen, C₁₋₆-alkylthio, C₁₋₆-alkylsulphonyl-amino, or guanidine.

Claims 2 - 19 cancelled.

20. (New) A compound of the formula



and salts thereof;

wherein Ar¹ and Ar² independently are selected from aryl and heteroaryl;

V designates -CH₂-CH₂-, -CH=CH- or -C≡C-;

m is a whole number selected from the group consisting of 0, 1, and 2,

p is a whole number selected from the group consisting of 0, 1, and 2,

wherein the sum of m and p is at least 1;

each Y¹ is independently selected from an amino-functional substituent of the formula



each Y² is independently selected from an amino-functional substituent of the formula



wherein Z is a biradical $-(C(R^H)_2)_n-$, wherein n is an integer in the range of 1-6, and each R^H is independently selected from hydrogen and C_{1-6} -alkyl, or wherein $(R^H)_2$ is $=O$;

R^1 and R^2 independently are selected from the group consisting of hydrogen, optionally substituted C_{1-12} -alkyl, optionally substituted C_{2-12} -alkenyl, optionally substituted C_{4-12} -alkadienyl, optionally substituted C_{6-12} -alkatrienyl, optionally substituted C_{2-12} -alkynyl, optionally substituted C_{1-12} -alkoxycarbonyl, optionally substituted C_{1-12} -alkylcarbonyl, optionally substituted aryl, optionally substituted aryloxycarbonyl, optionally substituted arylcarbonyl, optionally substituted heteroaryl, optionally substituted heteroaryloxy-carbonyl, optionally substituted heteroarylcarbonyl, aminocarbonyl, mono- and di(C_{1-6} -alkyl)aminocarbonyl, amino- C_{1-6} -alkyl-aminocarbonyl, mono- and di(C_{1-6} -alkyl)amino- C_{1-6} -alkyl-aminocarbonyl; or wherein $N(R^1)R^2$ forms an optionally substituted nitrogen-containing heterocyclic ring;

X^1 and X^2 independently designates a substituent present 0-5 times, on Ar^1 and Ar^2 , respectively, wherein each X^1 and X^2 is independently selected from the group consisting of optionally substituted C_{1-12} -alkyl, optionally substituted C_{2-12} -alkenyl, optionally substituted C_{4-12} -alkadienyl, optionally substituted C_{6-12} -alkatrienyl, optionally substituted C_{2-12} -alkynyl, hydroxy, optionally substituted C_{1-12} -alkoxy, optionally substituted C_{2-12} -alkenyloxy, carboxy, optionally substituted C_{1-12} -alkoxycarbonyl, optionally substituted C_{1-12} -alkylcarbonyl, formyl, C_{1-6} -alkylsulphonylamino, optionally substituted aryl, optionally substituted aryloxycarbonyl, optionally substituted aryloxy,

optionally substituted arylcarbonyl, optionally substituted arylamino, arylsulphonylamino, optionally substituted heteroaryl, optionally substituted heteroaryloxycarbonyl, optionally substituted heteroaryloxy, optionally substituted heteroarylcarbonyl, optionally substituted heteroarylamino, optionally substituted (heteroarylalkyl)amino, optionally substituted (heteroarylalkyl)alkylamino, heteroarylsulphonylamino, optionally substituted heterocyclyloxycarbonyl, optionally substituted heterocyclyloxy, optionally substituted heterocyclylcarbonyl, optionally substituted heterocyclylamino, heterocyclylsulphonylamino, amino, mono- and di(C₁₋₆-alkyl)amino, carbamoyl, mono- and di(C₁₋₆-alkyl)aminocarbonyl, amino-C₁₋₆-alkyl-aminocarbonyl, mono- and di(C₁₋₆-alkyl)amino-C₁₋₆-alkyl-aminocarbonyl, C₁₋₆-alkylcarbonylamino, cyano, guanidino, carbamido, C₁₋₆-alkanoyloxy, C₁₋₆-alkylsulphonyl, C₁₋₆-alkylsulphinyl, C₁₋₆-alkylsulphonyloxy, aminosulfonyl, mono- and di(C₁₋₆-alkyl)aminosulfonyl, nitro, optionally substituted C₁₋₆-alkylthio, and halogen, where any nitrogen-bound C₁₋₆-alkyl is optionally substituted with hydroxy, C₁₋₆-alkoxy, C₂₋₆-alkenyloxy, carboxy, halogen, C₁₋₆-alkylthio, C₁₋₆-alkylsulphonyl-amino, or guanidine.

21. (*New*) The compound of claim 20, wherein, when Ar¹ and Ar² are both phenyl, V is -CH=CH-, Z is CH₂, R¹ and R² are methyl or together form a morpholino group, and one of m and p is 2 while the other of m and p is 0, then

X¹ and X² independently designates 0-5 substituents, where such optional substituents independently are selected from the group consisting of optionally substituted C₁₋₁₂-

alkyl, optionally substituted C₂₋₁₂-alkenyl, optionally substituted C₄₋₁₂-alkadienyl, optionally substituted C₆₋₁₂-alkatrienyl, optionally substituted C₂₋₁₂-alkynyl, 2-, 3-, 5-, or 6-hydroxy, optionally substituted C₁₋₁₂-alkoxy, optionally substituted C₂₋₁₂-alkenyloxy, carboxy, optionally substituted C₁₋₁₂-alkoxycarbonyl, optionally substituted C₁₋₁₂-alkylcarbonyl, formyl, C₁₋₆-alkylsulphonylamino, optionally substituted aryl, optionally substituted aryloxycarbonyl, optionally substituted aryloxy, optionally substituted arylcarbonyl, optionally substituted arylamino, arylsulphonylamino, optionally substituted heteroaryl, optionally substituted heteroaryloxycarbonyl, optionally substituted heteroaryloxy, optionally substituted heteroarylcarbonyl, optionally substituted heteroarylamino, optionally substituted (heteroarylalkyl)amino, optionally substituted (heteroarylalkyl)alkylamino, heteroarylsulphonylamino, optionally substituted heterocyclyloxycarbonyl, optionally substituted heterocyclyloxy, optionally substituted heterocyclylcarbonyl, optionally substituted heterocyclylamino, heterocyclylsulphonylamino, amino, mono- and di(C₁₋₆-alkyl)amino, carbamoyl, mono- and di(C₁₋₆-alkyl)aminocarbonyl, amino-C₁₋₆-alkyl-aminocarbonyl, mono- and di(C₁₋₆-alkyl)amino-C₁₋₆-alkyl-aminocarbonyl, C₁₋₆-alkylcarbonylamino, cyano, guanidino, carbamido, C₁₋₆-alkanoyloxy, C₁₋₆-alkylsulphonyl, C₁₋₆-alkylsulphinyl, C₁₋₆-alkylsulphonyloxy, aminosulfonyl, mono- and di(C₁₋₆-alkyl)aminosulfonyl, nitro, optionally substituted C₁₋₆-alkylthio, and halogen, where any nitrogen-bound C₁₋₆-alkyl may be substituted with hydroxy, C₁₋₆-alkoxy, C₂₋₆-alkenyloxy, , carboxy, , halogen, C₁₋₆-alkylthio, C₁₋₆-alkylsulphonyl-amino, or guanidine;

provided that

when Ar^1 and Ar^2 are both phenyl, V is $-\text{CH}=\text{CH}-$, m is 1, p is 0, Y^1 is $2\text{-CH}_2\text{NMe}_2$, X^2 is absent, and X^1 is present 1 time, then X^1 is not 4-methoxy,

when Ar^1 and Ar^2 are both phenyl, V is $-\text{CH}=\text{CH}-$, m is 1, p is 0, Y^1 is 3- or 4- $\text{CH}_2\text{NR}^1\text{R}^2$, wherein R^1 and R^2 are selected from hydrogen, methyl, and ethyl, and X^1 is present 0 or 1 time and is selected from 4-hydroxy or 4-alkoxy, and X^2 is present 0 or 1 time, then X^2 is not selected from the group consisting of nitro, dichloro, carboxymethoxy, methoxycarbonylmethoxy, ethoxycarbonylmethoxy, 2-carboxyethyl,

when Ar^1 and Ar^2 are both phenyl, V is $-\text{CH}=\text{CH}-$, m is 0, p is 1, Y^2 present 1 time and is 2- or 3- $\text{CH}_2\text{NR}^1\text{R}^2$, wherein R^1 and R^2 are selected from hydrogen, methyl, and ethyl, X^2 is present 0 or 1 time and is 4-OH, and X^1 is present 0 or 1 time, then X^1 is not ethoxycarbonylmethoxy or dichloro.

22. (*New*) The compound of claim 20, wherein R^1 and R^2 independently are selected from the group consisting of hydrogen, optionally substituted C_{1-12} -alkyl, optionally substituted C_{2-12} -alkenyl, optionally substituted C_{2-12} -alkynyl, optionally substituted C_{1-12} -alkylcarbonyl, arylcarbonyl, heteroarylcarbonyl, aminocarbonyl, mono- and di(C_{1-6} -alkyl)-aminocarbonyl, amino- C_{1-6} -alkyl-aminocarbonyl, and mono- and di(C_{1-6} -alkyl)amino- C_{1-6} -alkyl-aminocarbonyl.

23. (*New*) The compound of claim 20, wherein X^1 and X^2 independently designates 0-4 substituents, where such optional substituents independently are selected from the group consisting of optionally substituted C_{1-12} -alkyl, hydroxy, optionally substituted C_{1-12} -alkoxy, optionally substituted C_{2-12} -alkenyloxy, carboxy, optionally substituted C_{1-12} -alkylcarbonyl, formyl, C_{1-6} -alkylsulphonylamino, optionally substituted aryl, optionally substituted aryloxycarbonyl, optionally substituted aryloxy, optionally substituted arylcarbonyl, optionally substituted arylamino, arylsulphonylamino, optionally substituted heteroaryl, optionally substituted heteroarylamino, optionally substituted (heteroarylalkyl)amino, optionally substituted (heteroarylalkyl)alkylamino, amino, mono- and di(C_{1-6} -alkyl)amino, optionally substituted heteroarylcarbonyl, optionally substituted heteroaryloxy, heteroarylsulphonylamino, optionally substituted heterocyclyloxy, optionally substituted heterocyclylamino, carbamoyl, mono- and di(C_{1-6} -alkyl)amino-carbonyl, amino- C_{1-6} -alkyl-aminocarbonyl, mono- and di(C_{1-6} -alkyl)amino- C_{1-6} -alkyl-aminocarbonyl, guanidino, carbamido, C_{1-6} -alkylsulphonyl, C_{1-6} -alkylsulphiny, C_{1-6} -alkylsulphonyloxy, optionally substituted C_{1-6} -alkylthio, aminosulfonyl, mono- and di(C_{1-6} -alkyl)aminosulfonyl, and halogen, where any nitrogen-bound C_{1-6} -alkyl may be substituted with at least one substituent selected from the group consisting of hydroxy, C_{1-6} -alkoxy, and halogen.

24. (*New*) The compound of claim 20, wherein R^1 and R^2 independently are selected from the group consisting of hydrogen, optionally substituted C_{1-6} -alkyl, optionally


substituted C₁₋₆-alkylcarbonyl, heteroarylcarbonyl, aminocarbonyl, mono- and di(C₁₋₆-alkyl)aminocarbonyl, amino-C₁₋₆-alkyl-aminocarbonyl, mono- and di(C₁₋₆-alkyl)amino-C₁₋₆-alkyl-aminocarbonyl.

25. (*New*) The compound of claim 20, wherein X¹ and X² independently designates 0-3 substituents, where such optional substituents independently are selected from the group consisting of optionally substituted C₁₋₆-alkyl, hydroxy, optionally substituted C₁₋₆-alkoxy, carboxy, optionally substituted C₁₋₆-alkylcarbonyl, C₁₋₆-alkylsulphonylamino, optionally substituted aryl, optionally substituted aryloxy, optionally substituted arylamino, amino, mono- and di(C₁₋₆-alkyl)amino, arylsulphonylamino, optionally substituted heteroaryl, optionally substituted heteroarylamino, optionally substituted (heteroarylalkyl)amino, optionally substituted (heteroarylalkyl)alkylamino, heteroarylsulphonylamino, carbamoyl, C₁₋₆-alkylcarbonylamino, guanidino, carbamido, optionally substituted C₁₋₆-alkylthio, optionally substituted heterocycloxy, optionally substituted heterocyclamino and halogen, where any nitrogen-bound C₁₋₆-alkyl may be substituted with at least one substituent selected from the group consisting of hydroxy, C₁₋₆-alkoxy, and halogen.

26. (*New*) The compound of claim 20, wherein V designates -CH=CH-.

27. (*New*) The compound of claim 20, wherein at least one of Ar¹ and Ar² are aryl.

28. (*New*) The compound of claim 27, wherein both of Ar¹ and Ar² are phenyl rings, m is 1 or 2, and p is 0.
29. (*New*) The compound of claim 20, wherein X² represents at least one substituent selected from the group consisting of C₁₋₆-alkyl, C₁₋₆-alkoxy, C₁₋₆-alkylcarbonyl, optionally substituted aryl, optionally substituted aryloxy, optionally substituted arylamino, amino, mono- and di(C₁₋₆-alkyl)amino, optionally substituted heteroaryl, optionally substituted heteroaryl amino, optionally substituted (heteroarylalkyl)amino, optionally substituted (heteroarylalkyl)alkylamino, , optionally substituted C₁₋₆-alkylthio, optionally substituted heterocycloxy, optionally substituted heterocyclamino and halogen.
30. (*New*) The compound of claim 20, wherein at least one of Ar¹ and Ar² is selected from the group consisting of thiazolyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, thienyl, quinolyl, isoquinolyl, and indolyl.
31. (*New*) The compound of claim 20, wherein Z is -(CH₂)_n- wherein n is 1-4.
32. (*New*) The compound of claim 20, wherein one of Y¹ and Y² represents a substituent of the formula



wherein R¹ and R² are selected from hydrogen and C₁₋₆-alkyl.

33. (*New*) The compound of claim 32, wherein V is -CH=CH-, and Ar¹ and Ar² both are phenyl rings.

34. (*New*) The compound of claim 32, wherein Y¹ represents the substituent of the formula -CH₂-N(R¹)R².

35. (*New*) The compound of claim 20, selected from the group consisting of:

1-(4-Methoxy-phenyl)-3-(4-morpholin-4-ylmethyl-phenyl)-propenone,

3-(4-Diethylaminomethyl-phenyl)-1-(4-methoxy-phenyl)-propenone,

1-(4-Methoxy-phenyl)-3-(4-propylaminomethyl-phenyl)-propenone,

3-(4-Dimethylaminomethyl-phenyl)-1-(4-methoxy-phenyl)-propenone,

3-{4-[(2-Dimethylamino-ethylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-propenone,

1-(4-Methoxy-phenyl)-3-(4-piperidin-1-ylmethyl-phenyl)-propenone,

3-{4-[(3-Dimethylamino-propylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-

propenone,

3-(4-Dibutylaminomethyl-phenyl)-1-(4-methoxy-phenyl)-propenone,

3-{4-[(4-Diethylamino-1-methyl-butylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-

propenone,

3-{3-[(2-Dimethylamino-ethylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-(4-dimethylaminomethyl-phenyl)-propenone,
1-(4-Methoxy-phenyl)-3-(3-propylaminomethyl-phenyl)-propenone,
1-(4-Methoxy-phenyl)-3-[3-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
1-(4-Methoxy-phenyl)-3-[3-(4-methyl-[1,4]diazepan-1-ylmethyl)-phenyl]-propenone,
3-(3-Dimethylaminomethyl-phenyl)-1-(4-methoxy-phenyl)-propenone,
1-(2-Bromo-phenyl)-3-(2-dimethylaminomethyl-phenyl)-propenone,
3-{3-[(3-Dimethylamino-propylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-
propenone,
3-(2,5-Dimethoxy-phenyl)-1-(4-dimethylaminomethyl-phenyl)-propenone,
3-(4-Dibutylamino-phenyl)-1-(3-dimethylaminomethyl-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-(3-dimethylaminomethyl-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-[3-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone ,
3-(2,4-Dichloro-phenyl)-1-{3-[(3-dimethylamino-propylamino)-methyl]-phenyl}-
propenone ,
3-(2,5-Dimethoxy-phenyl)-1-{4-[(3-dimethylamino-propylamino)-methyl]-phenyl}-
propenone,
3-(3-Dimethylaminomethyl-phenyl)-1-(2-fluoro-4-methoxy-phenyl)-propenone ,
3-(4-Dibutylamino-phenyl)-1-[4-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(2,4-Dichloro-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(2,4-Dichloro-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(2,5-Dimethoxy-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,

3-(2,5-Dimethoxy-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(4-Dibutylamino-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(4-Dibutylamino-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(3-Dimethylaminomethyl-phenyl)-1-pyridin-2-yl-propenone,
3-(4-Dibutylamino-phenyl)-1-(4-dimethylaminomethyl-phenyl)-propenone,
3-[5-(1,1-Dimethyl-allyl)-2-methoxy-phenyl]-1-(2-dimethylaminomethyl-phenyl)-
propenone,
1-{2-[(tert-Butyl-methyl-amino)-methyl]-phenyl}-3-(2,4-dichloro-phenyl)-propenone,
Acetic acid 1-{2-[3-(2,4-dichloro-phenyl)-acryloyl]-benzyl}-piperidin-4-yl ester,
3-(2,4-Dichloro-phenyl)-1-(2-morpholin-4-ylmethyl-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-(2-[[2-(2-dimethylamino-ethyl)-methyl-amino]-methyl]-phenyl)-
propenone,
3-(4-Diethylaminomethyl-phenyl)-1-o-tolyl-propenone,
3-(3-Dimethylaminomethyl-phenyl)-1-(2-methoxy-phenyl)-propenone,
3-(4-Chloro-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(2,4-Difluoro-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(3-Butylamino-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(4-Diethylaminomethyl-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-(2-diethylaminomethyl-phenyl)-propenone,
3-(2,5-Dimethoxy-phenyl)-1-[4-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-(4-hydroxy-2-methoxy-5-propyl-phenyl)-
propenone,

3-(2,4-Dichloro-phenyl)-1-(2-piperazin-1-ylmethyl-phenyl)-propenone,
3-(2,5-Dimethoxy-phenyl)-1-(2-piperazin-1-ylmethyl-phenyl)-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-(4-dipropylamino-2-fluoro-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-[2-(4-hydroxy-piperidin-1-ylmethyl)-phenyl]-propenone,
1-(3-Diethylaminomethyl-phenyl)-3-(2,5-dimethoxy-phenyl)-propenone,
3-(2-[[2-(2-Dimethylamino-ethyl)-methyl-amino]-methyl]-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(2,4-Dimethoxy-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(4-Imidazol-1-yl-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-pyridin-2-yl-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-pyridin-3-yl-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-pyridin-4-yl-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-(1-methyl-1H-pyrrol-2-yl)-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-(1H-pyrrol-2-yl)-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-thiophen-2-yl-propenone,
1,3-Bis-(2-diethylaminomethyl-phenyl)-propenone,
3-(2,4-Dichloro-phenyl)-1-(3-diethylaminomethyl-phenyl)-propenone,
3-(4-Dimethylaminomethyl-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(3-Dimethylaminomethyl-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(3-Dimethylaminomethyl-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,

3-(2-Diethylaminomethyl-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-[3-(Butyl-ethyl-amino)-phenyl]-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(3-[[2-Dimethylamino-ethyl)-methyl-amino]-methyl]-phenyl)-1-(4-methoxy-phenyl)-
propenone,
3-(2-Dimethylaminomethyl-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-
propenone,
3-(2-Diethylaminomethyl-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-
propenone,
1,3-Bis-(2-dimethylaminomethyl-phenyl)-propenone,
3-(4-Dimethylaminomethyl-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
3-(1H-Indol-5-yl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(2,4-Dimethoxy-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-(4-imidazol-1-yl-phenyl)-propenone,
1-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-[3-(pyridin-3-ylamino)-phenyl]-
propenone,
3-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-1-(2,3,4-trimethoxy-phenyl)-propenone,
3-{3-[2-(4-Methyl-piperazin-1-ylmethyl)-phenyl]-3-oxo-propenyl}-benzoic acid,
1-(2-Dimethylaminomethyl-phenyl)-3-(2,4-dimethyl-phenyl)-propenone,
3-(2,4-Dimethyl-phenyl)-1-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-(1-methyl-1H-pyrrol-2-yl)-propenone,
3-[4-Chloro-5-(1,1-dimethyl-allyl)-2-methoxy-phenyl]-1-[2-(4-methyl-piperazin-1-
ylmethyl)-phenyl]-propenone,

1-(2-Dimethylaminomethyl-phenyl)-3-(4-dipropylamino-2-ethoxy-phenyl)-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-
propenone,
3-(3-Dimethylaminomethyl-4-methoxy-phenyl)-1-(4-methoxy-phenyl)-propenone,
1-(2-Methoxy-phenyl)-3-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
1-(2-Fluoro-4-methoxy-phenyl)-3-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,
3-(2-[[2-(2-Dimethylamino-ethyl)-methyl-amino]-methyl]-phenyl)-1-(2-
dimethylaminomethyl-phenyl)-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-[3-(pyridin-3-ylamino)-phenyl]-propenone,
3-(2-Dimethylaminomethyl-phenyl)-1-(3-dimethylaminomethyl-phenyl)-propenone,
1-(3-Dimethylaminomethyl-phenyl)-3-(3-morpholin-4-ylmethyl-phenyl)-propenone,
1-(3-Dimethylaminomethyl-phenyl)-3-[2-(4-methyl-piperazin-1-ylmethyl)-phenyl]-
propenone,
1-(3-Dimethylaminomethyl-phenyl)-3-(4-pyridin-2-yl-phenyl)-propenone,
1-(4-Methoxy-phenyl)-3-(3-[[methyl-(2-methylamino-ethyl)-amino]-methyl]-phenyl)-
propenone,
3-(2-Dimethylaminomethyl-phenyl)-1-(2-fluoro-4-methoxy-phenyl)-propenone,
3-(2-Dimethylaminomethyl-phenyl)-1-(2,3,4-trimethoxy-phenyl)-propenone,
3-(3-[[2-(2-Hydroxy-ethyl)-methyl-amino]-methyl]-phenyl)-1-(4-methoxy-phenyl)-
propenone,
1-(4-Methoxy-phenyl)-3-(3-methylaminomethyl-phenyl)-propenone,
1-(3-Dimethylaminomethyl-phenyl)-3-(4-methoxy-biphenyl-3-yl)-propenone,

3-{3-[(2-Methoxy-ethylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-propenone,
1-(2-Dimethylaminomethyl-phenyl)-3-[2-methoxy-5-(pyridin-3-ylamino)-phenyl]-
propenone,
3-(2,4-Dichloro-phenyl)-1-(2-dimethylaminomethyl-phenyl)-propanone,
3-[4-(2-Dimethylamino-ethyl)-phenyl]-1-(2-fluoro-4-methoxy-phenyl)-propenone,
1-(4-Methoxy-phenyl)-3-(3-piperazin-1-ylmethyl-phenyl)-propenone,
3-(3-[[2-Methoxy-ethyl)-methyl-amino]-methyl]-phenyl)-1-(4-methoxy-phenyl)-
propenone,
3-(3-[[2-3-{3-[(2-Hydroxy-ethylamino)-methyl]-phenyl}-1-(4-methoxy-phenyl)-
propenone,
3-(4-Dimethylaminomethyl-biphenyl-3-yl)-1-(2-fluoro-4-methoxy-phenyl)-propenone,
3-(4-Dibutylamino-phenyl)-1-(3-dimethylaminomethyl-4-methoxy-phenyl)-propenone,
3-[2-(2-Dimethylamino-ethyl)-phenyl]-1-(4-methoxy-phenyl)-propenone,
3-[2-(2-Dimethylamino-ethyl)-phenyl]-1-(2-fluoro-4-methoxy-phenyl)-propenone,
3-[2-(2-Dimethylamino-ethyl)-phenyl]-1-(2,3,4-trimethoxy-phenyl)-propenone,
3-[4-(2-Dimethylamino-ethyl)-phenyl]-1-(4-methoxy-phenyl)-propenone,
3-[4-(2-Dimethylamino-ethyl)-phenyl]-1-(2,3,4-trimethoxy-phenyl)-propenone,
3-(2,5-Dimethoxy-phenyl)-1-[4-(2-dimethylamino-ethyl)-phenyl]-propenone,
1-[4-(2-Dimethylamino-ethyl)-phenyl]-3-(4-methoxy-biphenyl-3-yl)-propenone,
3-(4,2'-Dimethoxy-biphenyl-3-yl)-1-[4-(2-dimethylamino-ethyl)-phenyl]-propenone,
3-(4-Dimethylaminomethyl-biphenyl-3-yl)-1-(2,3,4-trimethoxy-phenyl)-propenone,
3-(2,5-Dimethoxy-phenyl)-1-(3-dimethylaminomethyl-4-hydroxy-phenyl)-propenone,

3-[4-Chloro-5-(1,1-dimethyl-allyl)-2-methoxy-phenyl]-1-(3-dimethylaminomethyl-4-hydroxy-phenyl)-propenone,

3-(2,4-Dichloro-phenyl)-1-(3-dimethylaminomethyl-4-hydroxy-phenyl)-propenone,

3-(2,4-Dichloro-phenyl)-1-(3-dimethylaminomethyl-4-methoxy-phenyl)-propenone,

3-[4-Chloro-5-(1,1-dimethyl-allyl)-2-methoxy-phenyl]-1-(3-dimethylaminomethyl-4-methoxy-phenyl)-propenone,

3-(3',5'-Dichloro-4,6-dimethoxy-biphenyl-3-yl)-1-(3-dimethylaminomethyl-4-methoxy-phenyl)-propenone,

1-(3-Dimethylaminomethyl-4-methoxy-phenyl)-3-(4-methoxy-biphenyl-3-yl)-propenone,

3-(2,4-Dichloro-phenyl)-1-(2-dimethylaminomethyl-4-methoxy-phenyl)-propenone,

3-(3-Dibutylamino-phenyl)-1-(3-dimethylaminomethyl-4-hydroxy-phenyl)-propenone,

3-(3-Dibutylamino-phenyl)-1-(3-dimethylaminomethyl-4-methoxy-phenyl)-propenone,

1-(2-Dimethylaminomethyl-4-methoxy-phenyl)-3-{3-[(pyridin-3-ylmethyl)-amino]-phenyl}-propenone,

1-(2-Dimethylaminomethyl-phenyl)-3-{3-[(pyridin-3-ylmethyl)-amino]-phenyl}-propenone,

1-(2-Dimethylaminomethyl-phenyl)-3-[3-(pyridin-4-ylamino)-phenyl]-propenone,

1-(2-Dimethylaminomethyl-4-methoxy-phenyl)-3-[3-(pyridin-4-ylamino)-phenyl]-propenone,

3-(3,5-Di-tert-butyl-2-methoxy-phenyl)-1-[4-hydroxy-3-(4-methyl-piperazin-1-ylmethyl)-phenyl]-propenone,

3-(5-tert-Butyl-2-methoxy-phenyl)-1-(3-dimethylaminomethyl-4-hydroxy-phenyl)-
propenone,

3-(3,5-Di-tert-butyl-2-methoxy-phenyl)-1-(3-dimethylaminomethyl-4-hydroxy-phenyl)-
propenone,

3-[5-(1,1-Dimethyl-allyl)-4-hydroxy-2-methoxy-phenyl]-1-(2-dimethylaminomethyl-
phenyl)-propenone,

3-[5-(1,1-Dimethyl-allyl)-4-hydroxy-2-methoxy-phenyl]-1-(3-dimethylaminomethyl-
phenyl)-propenone,

and salts thereof.

36. *(New)* A composition comprising the compound of claim 20 and a
pharmaceutically acceptable carrier.

37. *(New)* A method for treating bacterial infections in a mammal comprising
administering to the mammal of a compound of claim 20 and a pharmaceutically
acceptable carrier.

38. *(New)* A method for treatment of infections associated with protozoa in a
mammal comprising administering to the mammal a compound of claim 20.